

Specifications – BT-2G

Hardware Specifications

Tablet

Model No.	RSK-T06
Input Methods	Electromagnetic induction
Interface to Computer (Wireless/Wired)	Bluetooth 1.2 (class II) /USB 1.1 Full speed
Active area size	6 x 4.5 inches (152 mm (W) x 114mm (H))
Dimensions (mm)	239mm (W) x 251mm (H) x 30mm (D)
Weight (w/ batteries)	493g (545g)
Sampling Rate (Wireless/Wired)	162 points/s / 183points/s
Resolution	1000Lpi
Function button	12 buttons (Hold 1.5seconds to work)
Hot key	1 (for Bluetooth unpairing)
Power supply (Wireless)	1.2V AA battery x 2 (Rechargeable battery suggested)
(Wired)	USB bus power (no batteries needed)
Battery life (rechargeable)	24hrs (Continuous use)

Electronic Pen

Model No.	L7 pen (same as T-series)
Battery	AAA battery x 1 (1.5V)
Battery life	Approximately 1800 hours
Proximity	8mm
Pen feature	On/Off switch, Low battery Indicator LED

Bluetooth Adaptor (enclosed)

Model No.	BTU02E (class II)
Standard	Bluetooth 2.0 + EDR
Bluetooth Profile	Generic Access (GAP), Service Discovery Application (SDAP), Serial Port (SPP), Dial-Up Network (DUN), FAX, File transfer (FTP), LAN Access (LAP), Synchronization (SYNC), Object Push (OPP), Generic Object Exchange (GEOP), Headset (HSP), Hardcopy Cable Replacement (HCRP), Human Interface Device (HID), Basic Image Profile (BIP), Advanced Audio Distributed Profile (A2DP)
Interface to Computer	USB 2.0
RF range	Up to 40m (limited condition)
Security	Pairing, Encryption, Authentication
Power	USB bus power (LED indicator for checking power status)
Dimensions (mm):	58.5mm (W) x 17mm (H) x 8 mm (D)
Weight	6.8g

StarBoard

Others

Operating Specification	0 - 40 Celsius, 20 - 80 % Humidity
Safety Standard approvals	CE, FCC
OS support	Windows 2000/XP
Package Content	Bluetooth tablet x1, L7 pen x1, Pen tip x2, Bluetooth adaptor x1, AAA battery for pen x1, AA rechargeable battery x4, battery charger x1, USB cable for USB mode x1, USB extension cable x1, Setup CD x1, User manual x1
Packing dimension	358mm (W) x 273mm (H) x 81mm (D)
Warranty	1 year warranty

Features

Wireless connection	Work with Bluetooth wireless connection up to 10m
Parallel usage	Up to 7 devices per PC (Wireless mode)
Electronic Pen	AAA battery powered with two side buttons, possible to assign any mouse event (right/left click, double-click, hovering) as desired

System Requirements

Computers	CPU: Pentium II 300MHz (800MHz or faster recommended) RAM: 128MB (256MB or higher recommended) HDD: 200MB of free space Display Colour Depth: High Colour (16bit) Internet Explorer 6 and latest service pack Adobe Reader 6.0 or higher Microsoft Office 2000 or higher
Windows Operating System	Windows 2000, Windows XP (latest service pack recommended)
Bluetooth Software	
(Windows 2000/XP SP1)	Bluetooth software version 4.0.1.2900 or higher
(Windows XP SP2)	Microsoft Bluetooth software (no install needed)
Tablet driver	Bluetooth Pen pad driver version 3.11.15 or higher

StarBoard

Contact Information

Japan/Asia/Oceania

Hitachi Software Engineering Co., Ltd.

4-12-7, Higashishinagawa, Shinagawa-ku, Tokyo 140-0002, Japan

(Japanese)

Interactive Media Solutions Division

TEL: +81 (0)3 5749 8831 / FAX: +81 (0)3 5780 2342

E-mail: starboard@hitachisoft.jp

URL: <http://starboard.hitachisoft.jp>

(English)

International Sales Division

TEL: +81 (0)3 5780 6055 / FAX: +81 (0)3 5780 6059

E-mail: starboard-intl-sales@hitachisoft.jp

URL: <http://hitachisoft.jp/starboard-asia-oceania/>

America

Hitachi Software Engineering America, Ltd. Interactive Communications Group

601 Gateway Blvd. Suite 750

South San Francisco, CA 94080

TEL: +1 650 615 7600 / FAX: +1 650 615 7639

Toll Free: 888 615 9600

E-mail: starboard@hitachi-soft.com

Europe/Middle East/Africa

Hitachi Software Engineering UK (Ltd.) Interactive Media Solutions Division

10 Old Bailey, London, EC4M 7NG, United Kingdom

TEL: +44 (0)20 7038 1030 / Fax: +44 (0)20 7038 1130

URL: <http://www.hitachisoft-eu.com>

E-mail: sales@hitachi-software.co.uk

Hitachi Software Engineering Europe A.G. (HSEE) Interactive Media Solutions Division

Neues Kranzler Eck, Kurfürstendamm 22, 10719 Berlin, Germany

TEL: +49 (0)30 8877 2600 / Fax: +49 (0)30 8877 2610

URL: <http://www.hitachisoft-eu.com>

E-mail: starboard@hitachisoft.de

Hitachi Software Engineering Europe, S.A.S (HSF) Interactive Media Solutions Division

7th Floor, 64 rue du Dessous des Berges, 75013 Paris, France

TEL: +33 (0)153 827 600 / FAX: +33 (0)153 827 619

URL: <http://www.hitachisoft-eu.com>

E-mail: starboard@hitachisoft-eu.com