



Ladibug™ 2.0

**Document Camera Image Software
User Manual**

Table of contents

1. Introduction.....	2
2. System requirements	2
3. Installing Ladibug™	3
4. Connection to the hardware	5
5. Start to use Ladibug™	5
6. Operation Interface Description	6
6.1 Software Screen Introduction.....	6
6.2 Thumbnail (saved image window).....	7
6.3 Main Menu	8
6.4 Annotation.....	9
6.5 Camera Settings	10
6.6 Options	11
6.7 Time Lapse (Burst Settings).....	12
7. Function Descriptions	13
7.1 Turn the Document Camera on/off.....	13
7.2 I would like to display a live image	13
7.3 I would like to capture images.....	13
7.4 I would like to capture images continuously.....	13
7.5 I would like to freeze the live image	13
7.6 I would like to annotate the displayed image	14
7.7 I would like to add textual annotation to images	15
7.8 I would like to record videos.....	16
7.9 I would like to use the mask mode	16
7.10 I would like to use the spotlight mode	16
7.11 I would like to manage saved image files.....	17
8. Troubleshooting	19

1. Introduction

After installing the Ladibug™ application, you can use the software to:

- Control the Document Camera
- Capture and record images.
- Annotate the image, highlight important details and save it.
- Support the full screen function.

2. System requirements

MAC OS X 10.4 / 10.5 / 10.6 (32-bits Kernel)


- Min. CPU: PowerPC G4 866MHz or Intel Pentium® 1.83GHz Intel Core 2 Duo
- Min. memory: 512MB
- Min. resolution: 1024x768
- 24-bit color display monitor
- Min. hard drive space: 1GB
- QuickTime 7.4.5 and above

[Remark] The MAC OS is not supported for a wireless connection like model “DC-A11”.


3. Installing Ladibug™

[Remark] The MAC OS is not supported for a wireless connection like model “DC-A11”.


1. Insert the software CD into the CD-ROM drive.
2. Click on the CD icon.
3. Select MAC folder and click **[Ladibug_MAC]** to open the installation wizard and begin to install following the on-screen instruction.




4. Click **[Continue]**.





5. Click **[Install]**.




6. Enter the username and password, and then press **[OK]**.



7. Click **[Continue Installation]**.



8. Press **[Restart]** to finish the software installation.




4. Connection to the hardware



<Very Important> To ensure successful installation, please follow each of the following steps.

4.1. Connect the power cord of the Document Camera




<Note> Appearance may vary depending on country/region.

4.2. Pressing the **[POWER]** button on the remote control or the Document Camera for about 5 seconds. When the light next to the power button is lit, the machine is ready to use.



4.3. Connect USB cable to the Document Camera your computer.




5. Start to use Ladibug™

5.1. Double-click the **[Ladibug]** icon on the desktop to launch Ladibug™.



5.2. Mouse over **[Ladibug]** icon to expand menu functions.




5.3. Click **[PREVIEW]** icon to start to use.



6. Operation Interface Description


6.1 Software Screen Introduction



1. Live image
2. Main Menu
3. Thumbnail Window
4. File Management Function Menu

6.2 Thumbnail (saved image window)



1. Close/Open Thumbnail
2. Thumbnail image of saved video or captured image (It will be displayed as  if it's a video)
3. Save the video which has been edited
4. Save as a new file
5. Change the storage folder
6. Delete file
7. Send captured image via e-mail

6.3 Main Menu




















	POWER: Turn the Document Camera on/off.		LAMP: Turn the lamp on/off.
	AUTO TUNE: Automatically adjust the image to have the best brightness and focusing performance.		PREVIEW: Display live images.
	OPTIONS: Select video compression method and the audio source. 6.6 Options is the reference of the selecting screen.		BRIGHTNESS: Manually adjust the brightness of the image.
	MAIN: Launch the main functions menu. Right click on this icon to show information about the Ladibug™.		ZOOM: Increase or decrease the image size.
	Mask Mode: Open the mask mode. Please refer to 7.9 I would like to use the mask mode .		CAMERA SETTING: Launch the Camera Setting window to adjust live images. 6.5 CAMERA Settings is the reference of the selecting screen.
	FREEZE: Freeze the live image.		ANNOTATION: Open the annotation tools. Please refer to 6.4 Annotation .
	Spotlight Mode: Open the emphasizing mode. Please refer to 7.10 I would like to us the spotlight mode .		TIME LAPSE PHOTOGRAPHY: Use the burst mode and adjust the interval of automatical image capturing. Please refer to 7.4 I would like to capture images continuously .
	RECORD: Record the current image.		CAPTURE: Image Capture.

6.4 Annotation

➤ Click  to open annotation tools



Icon	Description
	Pointer tool
	Laser tool
	Insert text
	Eraser (Clear marks of free-hand drawing tool)
	Draw a line
	Draw an ellipse
	Draw a rectangle
	Delete
	Free-hand drawing tool
	Back
	Next
	Clear all
	Select pen color
	Select line thickness
	Select transparency
	Select Font
	Select Font Size

6.5 Camera Settings

Control the live image via the **Camera Settings** interface. The operating procedure is the same as the **control panel** and **remote control** of the Document Camera. Refer to the [Document Camera user manual](#) for more information.

<Remark> The display of the button may vary depending on product functions. An inactive button will grey out.



6.5.1 Click  to open Camera Settings interface.

6.5.2 Applicable to other types except DC120, such as DC266, DC190...

➤ Case 1




➤ Case 2



6.6 Options


Click  to open Options Menu.



1. **Factory Reset:** Activate the factory reset.
2. **Video Compression Type:** Set up the recording format.
3. **Enable Audio Recorder:** Enable the audio record device and set the audio source.

6.7 Time Lapse (Burst Settings)

Click  to open Time Lapse Menu



The screenshot shows a 'Time Lapse' dialog box with the following elements:

- 1**: A red circle with the number '1' pointing to the 'File Name' field, which contains 'Lumens' followed by a template '-YYYY-MM-DD-HH-NN-SS.jpg'.
- 2**: A red circle with the number '2' pointing to the 'Select the start time' section, which has two radio buttons: 'Right Now' (selected) and 'Start at' (with a date and time '2011/ 2/15 下午 4:27:28').
- 3**: A red circle with the number '3' pointing to the 'Time Lapse Settings' section, which has three radio buttons: 'Capture Interval' (selected) with a value of '5' and unit 'Seconds'; 'Capture Time' with a value of '1' and unit 'Hours'; and 'Capture Frame' with a value of '100' and unit 'Frames'.

At the bottom of the dialog are 'Cancel' and 'OK' buttons.

1. Specify a file name.
2. Set the start time.
3. Set the interval and the length of time of image capturing.

7. Function Descriptions

7.1 Turn the Document Camera on/off

- Click  to on/off the power.

<Note> When the Document Camera is on, the light will flicker; you can't turn it on until the light stops flicker.

7.2 I would like to display a live image


- Click  to display the live image.

7.3 I would like to capture images

- Click  to capture images.

[Note] The captured images will be displayed in the Thumbnail area.


7.4 I would like to capture images continuously


- Click  to open burst mode setting. Click [OK] after setting.

<Note> Please refer to [6.7 Time Lapse](#) for more Time Lapse settings.

<Note> The captured images will be displayed in the Thumbnail window.

7.5 I would like to freeze the live image

- Click  to freeze the live image of Ladibug™.


- Click  once again to lift the freeze.

7.6 I would like to annotate the displayed image

<Note> To annotate the saved image, please open the pictures of the Thumbnail area.




- Click to open the annotation tools.
- Select a annotation tool.



- Select pen color.



- Select line thickness.



- Select transparency.




- Mark or annotate the displayed image.





<Remark> You can Click to capture images if they are live images. You can click [SAVE] or [SAVE AS] to save the files if they are image files opened from the Thumbnail.

<Remark> You can add annotation when recording, but you can't save it

7.7 I would like to add textual annotation to images

- Click  to open the annotation tools.

- Select .




- Select pen color.




- Select transparency.



- Select font and font size.




- Drag a block on the picture then start to enter text.



<Remark> You can Click  to capture images if they are live images. You can click [SAVE] or [SAVE AS] to save files if they are image files.


7.8 I would like to record videos


- Click  to open the recording tool.



- Click  to open the interface of video format and audio source setting, please refer to [6.6 Options](#) for more details


- Click  to start recording.


- Press  to stop recording.


- Click  to close the recording tool.


<Remark> You can use annotation tools when recording, but you can't save it.

7.9 I would like to use the mask mode




- Click  to open the mask mode.
- You can directly modify the length and the width of the block with mouse.


- Click  to modify the transparency of the block.

- Click  to close the mask mode.



7.10 I would like to use the spotlight mode

- Click  to open Spotlight mode.
- Modify the length and the width with mouse.
- Click  to modify the shape and transparency of the block.
- Click  to close the Spotlight mode.




7.11 I would like to manage saved image files.

7.11.1 Save as a new file

- First, double-click the picture or image file in the “Thumbnail” window on the left side of the screen.





- Click [Save as] , then “Save As” window will pop up.



- After inputting “file name”, click [SAVE] to finish saving.

7.11.2 Change the location of file access


- Click [Directory] , then “OPEN” window will pop up.




- After selecting the location of the folder, click [Choose] to change the folder for saving pictures next time.

7.11.3 Delete File


- First, double-click the picture in the “Thumbnail” window on the left side of the screen.


- Click [Delete] , then “Delete File” window will pop up. Click [Yes] to delete files.



7.11.4 Send files by E-mail function.

- First, double-click the picture in the “Thumbnail” window on the left side of the screen.

- Click [E-mail] , then “Email File” window will pop up. Click [Yes] to open e-mail.



8. Troubleshooting

8.1 Question: Black screen is displayed in live image after Ladibug™ was re-installed.

Solution:

1. Remove the Ladibug™ then restart the computer.
2. Re-install the Ladibug™

8.2 Question: When running the Ladibug™, no image is displayed and get a Ladibug error message:

“System video limitation reached. Please refer to the troubleshooting section of the Ladibug user’s manual.”

Solution:

1. Please check if you are using an extended desktop (two monitors) hooked up to the computer. If so, please try to move the Ladibug™ shortcut to the extended desktop (the second monitor) and launch it.
2. If step 1 still doesn't work, please turn off extended desktop.
3. If step 2 still doesn't work, please reduce the resolution of desktop.
4. If step 3 still doesn't work, please re-install Ladibug™ software.